

DK-US040113

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of	:	ATTN: Certificate of
	:	Correction Branch
Kazuhito SENBA et al.	:	
	:	Patent Art Unit: 3744
Patent No.: 7,752,856	:	
	:	Examiner: Travis C. Ruby
Issued: July 13, 2010	:	
	:	
FOR: MONITORING AND CONTROL	:	
SYSTEM FOR AIR CONDITIONER	:	

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. §1.322

Assistant Commissioner of Patents
 Washington, DC 20231
 Sir:

Applicants hereby request a Certificate of Correction be issued for the above-identified patent. The contents of column, 13, line 61 (reading "the first air conditioning...") to column 14, line 10 (reading "tocol;") should be deleted.

It has come to the attention of the Applicants that the above-identified patent includes a mistake through errors of the Patent and Trademark Office. Applicants respectfully request that a Certificate of Correction which corrects the above-identified mistake be issued for this patent. Attached hereto is a complete form PTO/SB/44 which corrects the above-noted mistake in the above-identified patent.

Applicants believe this request fully complies with 35 U.S.C. §254 and 37 C.F.R. §1.322. Thus, Applicants respectfully request issuance of a formal Certificate of Correction for the above-identified patent. *No fee is believed to be due for this Request.* However, the Commissioner is hereby authorized to charge payment of the any fees associated with this communication or credit any overpayment to Deposit Account No. 50-1836, if required. If there are any questions regarding this Request, please feel free to contact the undersigned.

Respectfully submitted,

/Patrick A. Hilsmier/
 Patrick A. Hilsmier
 Reg. No. 46,034

GLOBAL IP COUNSELORS, LLP
 1233 Twentieth Street, NW, Suite 700
 Washington, DC 20036
 (202)-293-0444
Dated: July 28, 2010

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,752,856
APPLICATION NO.: 10/586,605
ISSUE DATE : July 13, 2010
INVENTOR(S) : Kazuhito SENBA et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Columns 13, lines 61 to 65 should be deleted.

Column 14, lines 1 to 10 of claim 1 should be deleted.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GLOBAL IP COUNSELORS, LLP
1233 Twentieth Street, NW, Suite 700
Washington, DC 20036

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.